



SANTEC MARBLE STAIN REMOVER

PRODUCT DESCRIPTION

Santec Marble Stain Remover is a special blend of acidic based substances. It is a heavy duty detergent specifically manufactured to remove yellowish effect from marble or granite without damaging or dulling polished surfaces. Highly recommend removing the yellowish effect from white marble like thassos, satvario or any white marble or granite.

USES

- Remove yellowish from surface
- Remove wood stain
- Remove food stain
- Remove coffee-tea stain
- Remove pet stain

FEATURES & BENEFITS

- Fast acting
- Powerful
- High cleaning power

SUITABLE SURFACE

- Marble
- Granite

SURFACE PREPARATION

SURFACE PREPARATION

Ensure surfaces to be treated are dry, clean and free of residues.

MIXING INSTRUCTION & APPLICATION

Mixing Instruction

Ready to use product

Application Process

Apply on dust free areas where it is required to remove stain. Cover the area with good quality plastic and make the side close with abro tape or dippen a good quality white cotton cloth in the product and lay on the stain area. Do not allow the product to dry on cotton cloth.

Leave it for 4 to 24 hour. Carefully remove plastic or cotton cloth and clean with water.

Application Condition

- Residual moisture content of the stone substrate should not exceed 5%.
- No rising moisture & potential osmosis problems.
- Substrate temperature should be at least 3°C above dew point but not above 50°C.
- Recommended ambient temperature for application is between 10°C - 40°C.
- Relative Air Humidity (RH) to not exceed beyond 80%.

TECHNICAL DATA

Base	Water
Aspect	Liquid
Colour	Transparent
pH	3-4

CONSUMPTION

Any suitable surface	1 L - 4 to 7 sq.mt.
----------------------	---------------------

The data given is for guideline only. The physical values are subject to normal manufacturing tolerances, colour and testing variances. The coverage & consumption figures are theoretical and do not allow for any additional material required due to surface porosity, surface profile, variations in level or wastage etc

PACKAGING

- 0.500 KG
- 1 KG

STORAGE & SHELF LIFE

Keep in a cool and well ventilated area. For best result, use within 7 days from opening to avoid possible spoilage.

For product expiry information, please refer to the product packing.

ANNOTATION

- Do not allow the product to dry on the surface and clean residue properly.
- Always use good quality brush, sponge, scrubber or white cotton cloth while application to avoid damaging the surface due to the decolorization.
- While using any tools like spray pumps, low hand pressure pumps, water jets, mixer machines, grinding machines in application, clean the inner and outer surface of the tool to avoid any kind of damage to the surface and material to be used.

HEALTH & SAFETY

Precautions

- During application wear protective clothing, gloves and eye goggles during application. Avoid products to contact eyes and skin.
- Keep out of reach of children.
- Not for internal consumption.
- Apply between temp. 5°C to 35°C.
- Use only in well ventilated areas.
- Wash hands thoroughly after applying.

Accident

- Use water spray.

Spillage

- Take up mechanically or with absorbent material.

First Aid

- If swallowed, contact a physician.
- If in skin contact wash skin with water and remove contaminated clothing.
- If you come in contact with the eye, hold open, flood with water for at least 10 min and contact a physician.

NOTES

The information above is believed to be accurate and represents the best information currently available to Santec Chemical Private Limited. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the Santec Chemical Private Limited be liable for any claims, losses, or damages of any third party or

for lost profits or any special indirect, incidental, consequential or exemplary damages, however arising, even if the company has been advised of the possibility of such damages.

COMPANY DETAILS

Corporate Office : SANTEC CHEMICAL
PRIVATE LIMITED, Malappuram, Kerala, India.

Call : +91 7247 555 666

E-mail : info@santecchemicals.com

Website : www.santecchemicals.com

For feedback or complaints, write to Marketing
Manager Services on the above mentioned
address.